## Bidding Requirements, Contract Forms and Conditions of the Contract UNIT PRICE BID FORM

Section 00300U

The undersigned, in compliance with the Invitation for Bids for construction of the following Project for the City of Austin, Texas:

| Solicitation No.: | CLMC787       |
|-------------------|---------------|
| Project:          | Glenlake Pump |
| CIP ID No.:       | 2006.024      |

Having examined the Project Manual, Drawings and Addenda, the site of the proposed Work and being familiar with all of the conditions surrounding construction of the proposed Project, having conducted all inquiries, tests and investigations deemed necessary and proper; hereby proposes to furnish all labor, permits, material, machinery, tools, supplies and equipment, and incidentals, and to perform all Work required for construction of the Project in accordance with the Project Manual, Drawings and Addenda within the time indicated.

Note: The Bidder will enter the line item subtotal in the "Amount" column below, which is the product of the estimated "Quantity" multiplied by the "Unit Price". Any mathematical errors will be corrected for the purpose of determining the correct Amount to be entered in the Bid Form. The Amounts, including any corrected Amounts, will then be totaled to determine the actual amount of the Bid.

| Bid Item        | Quan | Unit | Item Description   |    | Unit Price |    | Amount    |  |
|-----------------|------|------|--|----|------------|----|-----------|--|
| 104S-A          | 37   | LF   | Remove P.C. Concrete Curb  | \$ | 55.74      | \$ | 2,062.38  |  |
| 104S-B1         | 47   | SF   | Remove P.C. Concrete Slab  | \$ | 56.83      | \$ | 2,671.01  |  |
| 104S-B2         | 201  | SF   | Remove P.C. Concrete Slab of Tank #1, 18 inch thickness                                | \$ | 25.39      | \$ | 5,103.39  |  |
| 104S-F1         | 1    | EA   | Remove Concrete foundation of RTU panel & Antenna                                      | \$ | 5,350.97   | \$ | 5,350.97  |  |
| 104S-F2         | 2    | EA   | Remove Concrete foundation of Hydro Tank   | \$ | 1,672.18   | \$ | 3,344.36  |  |
| 210S-A          | 129  | CY   | Flexible Base (10" Thickness)  | \$ | 186.05     | \$ | 24,000.45 |  |
| 315S-A-1        | 692  | SY   | Surface Milling, 1.5" thickness  | \$ | 12.24      | \$ | 8,470.08  |  |
| 315S-A-2        | 443  | SY   | Surface Milling, 3" thickness  | \$ | 20.00      | \$ | 8,860.00  |  |
| 340S-AC         | 73   | TON  | Hot Mix Asphaltic Concrete Pavement, Type C(3-inch thickness)                          | \$ | 222.96     | \$ | 16,276.08 |  |
| 340S-AD         | 57   | TON  | Hot Mix Asphaltic Concrete Pavement, Type D (1.5 inch thickness)                       | \$ | 222.96     | \$ | 12,708.72 |  |
| 403S-CY         | 3.60 | CY   | einforce Concrete for Antenna Pole<br>oundation, RTU Cabinet<br>ad and New Load Center |    | 3,790.71   | \$ | 13,646.56 |  |
| 430S-A          | 37   | LF   | P.C. Concrete & Gutter (Excavation)  | \$ | 99.26      | \$ | 3,672.62  |  |
| 509S-1          | 1123 | LF   | Trench Excavation Safety  Protection Systems (all depth)                               |    | 3.28       | \$ | 3,683.44  |  |
| 510-AW-4<br>Dia | 70   | LF   | Pipe, 4" dia., Class 350 Ductile Iron, (all depths) including Excavation and Backfill  | \$ | 185.04     | \$ | 12,952.80 |  |

**Bidding Requirements, Contract Forms and Conditions of the Contract** 

| Bluding Requir | rements | s, Contra | act Forms and Conditions of the Contract |    |           |                  |
|----------------|---------|-----------|--|----|-----------|------------------|
| 510-AW-6       | 22      | LF        | Pipe, 6" dia., Class 350 Ductile         | \$ | 355.53    | \$<br>7,821.66   |
| Dia            |         |           | Iron, (all depths) including             |    |           |                  |
| 510-AW-8       | 144     | LF        | Pipe, 8" dia., Class 350 Ductile         |    | 143.60    | \$<br>20,678.40  |
| Dia            |         |           | Iron, (all depths) including             |    |           |                  |
| 510-AW-        | 888     | LF        | Pipe, 12" dia., Class 350 Ductile        | \$ | 135.46    | \$<br>120,288.48 |
| 12 Dia         |         |           | Iron, (all depths) including             |    |           |                  |
| 510- JW4"x4"   | 1       | EA        | Wet Connection 4" Dia. X 4" Dia.         | \$ | 4,447.09  | \$<br>4,447.09   |
| 510- JW8"x8"   | 1       | EA        | Wet Connection 8" Dia. X 8" Dia. \$      |    | 6,944.26  | \$<br>6,944.26   |
| 510-           | 1       | EA        | Wet Connection 12" Dia. X 12" Dia.       | \$ | 9,432.81  | \$<br>9,432.81   |
| JW12"x12"      |         |           |  |    |           |                  |
| 510-KW         | 1.069   | TON       | Ductile Iron Fitting                     | \$ | 13,128.82 | \$<br>14,034.71  |
| 511S-A4        | 4       | EA        | Valves, Gate Type, 4 in Dia.             | \$ | 1,823.21  | \$<br>7,292.84   |
| 511S-A6        | 3       | EA        | Valves, Gate Type, 6 in Dia.             | \$ | 1,932.66  | \$<br>5,797.98   |
| 511S-A8        | 3       | EA        | Valves, Gate Type, 8 in Dia.             | \$ | 2,570.93  | \$<br>7,712.79   |
| 511S-A12       | 1       | EA        | Valves, Gate Type, 12 in Dia.            | \$ | 3,747.24  | \$<br>3,747.24   |
| 511S-B         | 3       | EA        | Fire Hydrants (See Standard No. 511S-    | \$ | 5,086.54  | \$<br>15,259.62  |
| 511S-F2        | 2       | EA        | Automatic Combination                    | \$ | 8,038.78  | \$<br>16,077.56  |
| 602S-B         | 78      | SY        | St. Augustine Block Sodding              | \$ | 22.30     | \$<br>1,739.40   |
| 605S-A         | 657.5   | SY        | Soil Retention Blanket- Class 1 Type     | \$ | 8.92      | \$<br>5,864.90   |
| 609S-A         | 657.5   | SY        | Top Soil and Seedbed                     | \$ | 39.02     | \$<br>25,655.65  |
|                |         |           | reparation                               |    |           |                  |
| 609S-C         | 442     | SY        | Native Seeding                           | \$ | 3.34      | \$<br>1,476.28   |
| 609S-G         | 442     | SY        | Management Practices                     | \$ | 22.30     | \$<br>9,856.60   |
| 610S-A         | 216     | LF        | Protective Fencing Type A Chain Link     | \$ | 22.30     | \$<br>4,816.80   |
| 610S-R1        | 1       | EA        | Removal of Existing Trees, 13- inch      | \$ | 2,006.61  | \$<br>2,006.61   |
| 610S-R2        | 1       | EA        | Removal of Existing Trees, 15- inch      | \$ | 2,564.01  | \$<br>2,564.01   |
| 628S-B         | 20      | LF        | Sediment Containment Dikes with          | \$ | 83.61     | \$<br>1,672.20   |
| 641S           | 2       | EA        | Stabilized Construction Entrance         | \$ | 1,672.18  | \$<br>3,344.36   |
| 642S           | 475     | LF        | Silt Fence for Erosion Control           | \$ | 13.38     | \$<br>6,355.50   |
| 648S           | 20      | LF        | Mulch Sock, 18-inch, for Inlet           | \$ | 27.87     | \$<br>557.40     |
|                |         |           | Protection                               |    |           |                  |
| 658S-1         | 2       | EA        | Temporary Void Protection                | \$ | 8,018.57  | \$<br>16,037.14  |
| 658S-2         | 5       | CY        | Controlled Low Strength Material for     |    | 1,038.93  | \$<br>5,194.65   |
| 658S-4         | 5       | CF        | 3 to 5 Inch Rock for Void                |    | 218.80    | \$<br>1,094.00   |
| 658S-7         | 5       | CF        | Low Slump Concrete                       | \$ | 218.80    | \$<br>1,094.00   |
|                |         |           |  |    |           |                  |

**Bidding Requirements, Contract Forms and Conditions of the Contract** 

|  |     |  | act Forms and Conditions of the Contract  |           |                 |                 |
|--|-----|--|---|-----------|-----------------|-----------------|
| 658S-9   | 5   | Per<br>Day   | Downtime Associated with Observation of Void and/or   | \$        | 4,920.48        | \$<br>24,602.40 |
| 700S-TM  | 1   | LS   |   |           | 55,000.00       | \$<br>55,000.00 |
| 701S-A   | 16  | LF   | Chain Link Fence, 6 Foot High   | \$        | 100.33          | \$<br>1,605.28  |
| 701S-T   | 90  | LF   | emporary Fence, 6 Foot High, Chain \$ nk Type   |           | 27.87           | \$<br>2,508.30  |
| 702S-A   | 38  | LF   | Removing and Relocating<br>Existing 6 Ft. Chain Link Fence  | \$        | 78.03           | \$<br>2,965.14  |
| 802S-B C.I.P.  | 1   | EA   | C.I.P. Project sign   | \$        | 1,114.78        | \$<br>1,114.78  |
| 803S-CD  | 135 | CD   | Barricades, Signs,and Traffic Handling  | \$        | 222.96          | \$<br>30,099.60 |
| SP510-R4   | 57  | LF   | Remove Existing 4" PVC Water Pipe   | \$        | 45.49           | \$<br>2,592.93  |
| Assemblies, 4" and 8", in 10'x15' Concrete Vault, Ladd Excavation, |     | Dual Pressure Reducing Control Valve Assemblies, 4" and 8", including 10'x15' Concrete Vault, Ladder and Excavation, Complete-in-place | \$  | 77,032.62 | \$<br>77,032.62 |                 |
| SP511S-C2  | 1   | LS   | Furnish & Install 9'x6' Concrete Vault and Ladder and Excavation, Complete-in-place   | \$        | 48,146.88       | \$<br>48,146.88 |
| SP511S-J4  | 1   | EA   | emove Existing Gate Valve 4" iameter  |           | 1,202.78        | \$<br>1,202.78  |
| SP511S-J6  | 1   | EA   | Remove Existing Gate Valve 6" Diameter  | \$        | 1,202.78        | \$<br>1,202.78  |
| SP511S-J8  | 1   | EA   | Remove Existing Gate Valve 8"   | \$        | 5,467.20        | \$<br>5,467.20  |
| SP511S-K   | 1   | EA   | Remove existing Fire Hydrant  | \$        | 1,137.18        | \$<br>1,137.18  |
| SP609S- FLS  | 1   | EA   | Watering  | \$        | 7,581.19        | \$<br>7,581.19  |
| SP641S   | 287 | SY   | Stabilize Existing Pump Station   | \$        | 11.15           | \$<br>3,200.05  |
| SP702-A  | 1   |  |   | \$        | 5,467.20        | \$<br>5,467.20  |
| S02251-1   | 7   | TON  | Remove (and/or Disconnect /Salvage) 15'-4" Dia. Water Steel Tank #1 and Connecting Appurtenances Including Valves and Control Panels                                    | \$        | 3,901.75        | \$<br>27,312.25 |
| S02251-2   | 12  | TON  | Remove (and/or Disconnect / Salvage) 21'-3" Dia. Water Steel Tank \$\daggerapsi2 \text{ and Connecting Appurtenances} \text{ Including Valves} \text{ Including Panels} |           | 4,626.36        | \$<br>55,516.32 |
| S02251-3   | 1   | LS   | Remove (and/or<br>Disconnect/Salvage) Hydro Tank and<br>Associated Appurtenances<br>Including Valves and Control Panels   | \$        | 13,378.40       | \$<br>13,378.40 |
|  |     |  |   |           |                 |                 |

Bidding Requirements, Contract Forms and Conditions of the Contract

| S02251-4     | 1   | LS | Remove Pump Building and Foundation Including Telephone line, Pump and Associated Conduits  | \$<br>22,053.03  | \$<br>22,053.03  |
|--------------|-----|----|---|------------------|------------------|
| S02251-5     | 1   | LS | Remove (and/or Salvage) Altitude Vault including, Altitude Valves, 2- 4" Gate Valves, 8" Gate Valves, and 4" Water Line Inside the Vault  | \$<br>6,013.92   | \$<br>6,013.92   |
| S01025       | 1   | LS | Provide all Electrical and Instrumentation, Including Removing and Replacing of Conduits and all Appurtenant Electrical and Instrumentation Work Not Included in Other Bid Items, Complete as Specified and Indicated on the Drawings | \$<br>181,821.42 | \$<br>181,821.42 |
| S16020       | 1   | EA | Electrical service connection   | \$<br>9,921.59   | \$<br>9,921.59   |
| SS1900- AC-8 | 196 | LF | Removal and Disposal of 8-inch Dia<br>Asbestos Cement pipe  | \$<br>113.72     | \$<br>22,289.12  |
| SS432S- 7BM  | 50  | LF | Root Barrier  | \$<br>55.74      | \$<br>2,787.00   |

| BASE BID  |                              | 1,063,687.15 |
|---|------------------------------|--------------|
| One million sixty three thousand six hundred eighty sev | en dollars and fifteen cents | (Figures)    |

PGC General Contractors, LLC certifies that the unit prices shown on this completed computer printout for all of the Bid items and the alternates contained in this proposal are the unit prices intended and that its Bid will be tabulated using these unit prices and no other information from this printout. PGC General Contractors, LLC acknowledges and agrees that the total Bid amount shown will be read as its total Bid. In the event of a mathematical error, the correct product, determined by using the "Unit Price" and "Quantity", and the correct sum, determined by totaling the correct line item Amounts, will prevail over the amount entered by the Bidder.

| Signed | : the           |       |            |  |
|--------|-----------------|-------|------------|--|
| Title: | General Manager | Date: | 04/30/2020 |  |
|        |                 |       |            |  |

- The "Base Bid" amount must be used in the MBE/WBE Compliance Plan Summary Page to determine subcontractor participation levels for the established MBE/WBE procurement goals.
- The "Base Bid" amount becomes the Bidder's "TOTAL BID" if allowances and/or alternates are not included.

In the event of a mathematical error, the correct product, determined by using the "Unit Price" and "Quantity", and the correct sum, determined by totaling the correct line item Amounts, will prevail over the amount entered by the Bidder. The unit prices shown above will be the unit prices used to tabulate the Bid and used in the Contract, if awarded by the City.

## Notes:

1. MINIMUM WAGES: Workers on Project shall be paid not less than wage rates, including fringe benefits, as published by the Department of Labor (DOL) for Building Construction and Heavy and Highway Trades "AS APPLICABLE" and/or the minimum Wage required by City of Austin Ordinance No. 20160324-015, whichever is higher. The Total Minimum Wage required can be met using any combination of cash and non- cash qualified fringe benefits provided the cash component meets or exceeds the minimum wage required.